

LADISH

PART NUMBER INDEX

PART NUMBER	PAGE NUMBER	PART NUMBER	PAGE NUMBER	PART NUMBER	PAGE NUMBER	PART NUMBER	PAGE NUMBER	PART NUMBER	PAGE NUMBER	PART NUMBER	PAGE NUMBER
15	102	R-61	156-157	216	50	385	213	713	191	930	40
15-L	178	62	129	225	78-79	386	216	714	191	932	50
R-15	156-157	O-62	148	229	78-79	387	216	715	191	933	55
16	110	R-62	156-157	240	212	388	216	716	192	940	36
R-16	156-157	63	121	241	212	389	216	717	192	941	37
17	126	64	137	242	212	450	46	718	192	942	38
R-17	156-157	65	144	243	212	451	47	719	192	943	39
18	118	90	106	245	212	452	48	720	193	946	41
19	134	90-L	182	246	60	453	49	721	193	947	42
20	142	OJ-90	153	247	61	459	50	722	193	956	40
30	103	R-90	156-157	248	62	501-A	172	723	193	958	50
30-L	179	91	114	249	63	503	173	724	194	959	55
O-30	150	R-91	156-157	250	108	504	173	725	194	1240	218
OJ-30	151	92	130	250-L	184	505	174	726	194	1241	218
R-30	156-157	O-92	149	R-250	156-157	506	174	727	194	1242	218
31	111	R-92	156-157	251	116	508	175	728	195	1243	218
O-31	146	93	122	R-251	156-157	509	175	729	195	1245	218
R-31	156-157	94	138	252	132	511-A	176	730	195	1246	222
32	127	117	55	R-252	156-157	512-A	176	731	195	1247	222
O-32	147	150	107	253	124	513-A	177	732	196	1249	222
R-32	156-157	150-L	183	254	140	514-A	177	733	196	1250	223
33	119	OJ-150	153	256	64-66	600	215	734	196	1380	219
34	135	R-150	156-157	257	67-69	601	215	735	196	1381	219
35	143	151	115	258	70-71	602	215	736	197	1382	219
40	104	R-151	156-157	259	72-73	660	214	737	197	1383	219
40-L	180	152	131	260	74-75	661	214	738	197	1385	219
OJ-40	152	O-152	149	261	76-77	662	214	739	197	1386	222
R-40	156-157	R-152	156-157	262	80-81	663	214	740	197	1387	222
41	112	153	123	263	74-75	664	214	741	197	1389	222
R-41	156-157	154	139	264	76-77	665	214	742	197	1390	223
42	128	155	144	265	80-81	666	216	743	197	1460	220
O-42	148	167	86	266	44	667	216	744	197	1461	220
R-42	156-157	179	40	267	45	668	216	745	197	1462	220
43	120	180	55	308	215	700	188	746	197	1463	220
44	136	181	51	309	215	701	188	747	197	1465	220
46	82	182	52	330	155	702	188	748	198	1466	222
47	83	183	53	331	155	703	188	749	198	1467	222
48	84	184	54	334	155	704	189	750	198	1469	222
49	85	187	57	335	155	705	189	751	198	1470	223
50	87	188	58	338	155	706	189	752	198	1660	221
57	88	189	56	339	155	707	189	753	198	1661	221
60	105	190	56	380	213	708	190	754	198	1662	221
60-L	181	204	40	381	213	709	190	755	198	1663	221
OJ-60	152	206	50	382	213	710	190	756	198	1665	221
R-60	156-157	208	55	383	213	711	190	757	198	1666	222
61	113	214	40	384	213	712	191	758	198	1667	222
								759	198	1669	222

Always Include Part Numbers on Order



TO MARK PROGRESS

LADISH

GENERAL INDEX

	PAGE NUMBER		PAGE NUMBER
A			
ALLOY AND STAINLESS FITTINGS	226-236		
ASA PIPE DIMENSIONS	244		
B			
BEVELS, WELDING	239		
BLIND FLANGES	133-140		
BOLT AND NUT STEELS			
Physical and chemical requirements	245		
BORES, FLANGES			
Minimum finished bores	166-167		
BRANCH CONNECTION REINFORCEMENTS			
Saddles	88		
Split Tees	89		
BUSHINGS, SCREWED			
Flush and Hexagon	215		
BUTT WELDING FITTINGS			
(See Seamless Welding Fittings)	25-92		
C			
CAPS			
Screwed	216		
Seamless Welding	84-87		
Socket Welding	222		
CENTIGRADE-FAHRENHEIT SCALES		292	
CHANNEL FLANGES, T.E.M.A.		185-198	
CONCENTRIC REDUCERS		74-81	
CONVERSION TABLES		290-292	
CORROSION ALLOWANCES, T.E.M.A. FLANGES		187	
CORROSION RESISTANT FLANGES		5	
COUPLINGS			
Screwed	216		
Socket Welding	222		
COVER FLANGES, T.E.M.A.		185-198	
CROSSES			
Screwed	212-214		
Socket Welding	218-221		
D			
DIMENSIONAL TOLERANCES		239-241	
DISCS AND RINGS, ROLLED		199-203	
DISTRICT HEATING AND POWER PIPING SYSTEMS			
Allowable stress values	250-251		
Allowable working pressures	254-257		
E			
ECCENTRIC REDUCERS		74-81	
		E (Continued)	
		ELBOWS	
		Screwed, 45° and 90°	
		Seamless Welding, 45°	
		Seamless Welding, 90°	
		Extra Long Radius	
		Light Gauge	
		Long Radius	
		Reducing	
		Short Radius	
		Socket Welding, 45° and 90°	
		ENGINEERING DATA	
		EQUIVALENTS, BASIC TABLES	
		F	
		FACINGS, FLANGE	
		FAHRENHEIT-CENTIGRADE SCALES	
		FEMALE FLANGE FACING	
		FILLET WELD DIMENSIONS	
		FLANGE BOLTING	
		FLANGE FACINGS	
		FLANGES	
		Blind	
		Gate Valve Flanges (Non-Standard Oil Pipe Line)	
		Lap Joint	
		Large Diameter	
		Light Type	
		Long Welding Neck	
		Orifice (Slip On, Threaded, Welding Neck)	
		Pipe Line	
		Reducing (Slip On, Threaded, Welding Neck)	
		Ring Joint	
		Slip On	
		Socket Welding	
		Threaded	
		T.E.M.A.	
		Welding Neck	
		FLAT FLANGE FACING	
		FLOW	
		Flow efficiency	
		Flow through orifices, nozzles and short tubes	
		FORGED AND ROLLED RINGS	
		FORGED STEEL FITTINGS	
		Screwed, all types	
		Socket Welding, all types	
		FORGED FLANGES (See Flanges)	
		FORGINGS	
		FRICTION LOSS	

Always Supply Complete

Information on Order



TO MARK PROGRESS

LADISH

GENERAL INDEX (Continued)

	PAGE NUMBER		PAGE NUMBER
G		P	
GAS PIPING		PART NUMBERS	300
Allowable stress values.....	249	PIPE	
Allowable working pressures.....	262	Allowable stress values.....	247-253
GASKETS		Allowable working pressures.....	254-262
Ring Joint.....	164	Calculating wall thickness and working pressure.....	247-248
Ring Joint and Sheet Gaskets for Pipe Line Flanges.....	154	Carbon and alloy steel pipe dimensions (ASA B36.10)....	244
T.E.M.A.....	186	Friction loss.....	277-283
H		Properties of pipe.....	270-276
HEAT CODE	6-7	Stainless steel pipe dimensions (ASA B36.19).....	244
HEAVY WALL FITTINGS	91	PIPE LINE FLANGES	154-155, 158
I		PLUGS, SCREWED	
INSERT, REDUCER, SOCKET WELDING	223	Round Head, Hexagon Head, Square Head.....	215
L		POWER PIPING AND DISTRICT HEATING SYSTEMS	
LAP JOINT FLANGES	117-124	Allowable stress values.....	250-251
LAP JOINT STUB ENDS	82-83	Allowable working pressures.....	254-257
LARGE DIAMETER FLANGES	154-155, 172-177	PRESSURE-TEMPERATURE RATINGS	
LATERALS		Forged Flanges.....	263-268
Screwed.....	212-214	Forged Screwed and Socket Welding Fittings.....	269
Socket Welding.....	218-221	Pipe or Seamless Welding Fittings.....	254-262
LIGHT GAUGE FITTINGS	91	PROPERTIES OF PIPE	270-276
LIGHT TYPE FLANGES	172	PROPERTIES OF STEAM	286-288
LONG WELDING NECKS	178-184	R	
M		RAISED FLANGE FACING	160-161
MALE FLANGE FACING	160-161	REDUCER COUPLING	
MATERIAL ANALYSIS REPORTS	6-7	Screwed.....	216
MATERIAL SPECIFICATIONS		Socket Welding.....	222
Condensed table of piping specifications.....	229-236	REDUCER INSERTS, SOCKET WELDING	223
Flanges.....	243	REDUCERS, CONCENTRIC AND ECCENTRIC, SEAMLESS WELDING	74-81
Flange Bolt, Bolt-Stud and Nut.....	245	REDUCING ELBOWS, SEAMLESS WELDING	43-45
Seamless Welding Fittings.....	242	REDUCING FLANGES (Slip On, Threaded, Welding Neck)...	156-157
Screwed and Socket Welding Fittings.....	243	REDUCING-ON-RUN TEES	90
MINIMUM FLANGE BORES	166-167	REDUCING OUTLET TEES	64-73
N		REFRIGERATION PIPING	
NECKS, LONG WELDING	178-184	Allowable stress values.....	250
O		Allowable working pressures.....	254,256
OIL PIPING		REINFORCEMENTS FOR BRANCH CONNECTIONS	
Allowable stress values.....	252-253	Saddles.....	88
Allowable working pressures.....	258-261	Split Tees.....	89
ORDERING INFORMATION		RETURNS 180°, SEAMLESS WELDING	
Forged Flanges.....	94	Long Radius.....	51-55
Forged Screwed and Socket Welding Fittings.....	206	Extra Long Radius.....	56
Large Diameter and T.E.M.A. Flanges, Rolled Rings, Long Welding Necks.....	170	Short Radius.....	57-58
Seamless Welding Fittings.....	26	RINGS, ROLLED	199-203
ORIFICE FLANGES (Slip On, Threaded, Welding Neck).....	146-153		

Always Supply Complete

Information on Order



TO MARK PROGRESS

LADISH

GENERAL INDEX (Continued)

	PAGE NUMBER		PAGE NUMBER
R (Continued)		S (Continued)	
RING TYPE JOINT		STEAM PROPERTIES	
Pipe Line Flanges.....	154	Saturated steam.....	288
Ring numbers.....	162	Superheated steam.....	286-287
Ring Joint Facing dimensions.....	162-163	STEEL IDENTITY	6-7
Ring Joint Gaskets.....	164	STREET ELBOW, SCREWED	213-214
Welding Neck Orifice Flanges.....	151-153	STRESS VALUES	
ROLLED RINGS AND DISCS	199-203	Allowable stress values for power piping and district heating systems, refrigeration, gas and oil piping.....	247-253
S		STUB ENDS (Lap Joint Stub Ends)	82-83
SADDLES, WELDING	88	T	
SALES TERMS AND WARRANTY	24	T.E.M.A. FLANGES	185-198
SCREWED FITTINGS		TEES	
90° and 45° Elbows, Tees, Crosses, Laterals.....	212-214	Screwed.....	212-214
Bushings, Plugs.....	215	Seamless Welding	
Couplings, Reducers, Caps.....	216	Reducing-On-Run.....	90
Street Elbows.....	213-214	Reducing Outlet Tees.....	64-73
SCREWED FLANGES	125-132	Split Tee (Reinforcing).....	89
SEAMLESS WELDING FITTINGS		Straight Tees.....	59-63
Caps.....	84-87	Socket Welding.....	218-221
Elbows		TEMPERATURE CONVERSION CHART	292
45° Long Radius.....	46-50	TERMS AND WARRANTY	24
90° Extra Long Radius (3-R).....	90	THREAD STANDARDS	246
90° Long Radius.....	36-40	THREADED FLANGES	125-132
90° Reducing.....	43-45	THREADING PRACTICE	
90° Short Radius.....	41-42	For American Standard Flanges.....	165
Lap Joint Stub Ends.....	82-83	3-R ELBOWS (Extra Long Radius)	90
Light Gauge Fittings.....	91	TOLERANCES	239-241
Reducers, Concentric and Eccentric.....	74-81	TONGUE AND GROOVE FLANGE FACING	160-161
Returns		TUBE SHEETS, T.E.M.A.	185-198
180° Extra Long Radius.....	56	T.E.M.A. FLANGES	
180° Long Radius.....	51-55	Classifications.....	185
180° Short Radius.....	57-58	Class R, Hub Type.....	188-191
Saddles.....	88	Class C and Class A, Hub Type.....	192-196
Special Heavy Wall Fittings.....	91	Class C and Class A, Ring Type.....	197
Tees		Class A, Ring Type.....	198
Reducing-On-Run.....	90	Corrosion allowances.....	187
Reducing Outlet.....	64-73	Gasket data.....	186
Straight.....	59-63	U	
Split Tees (Reinforcing).....	89	USEFUL GENERAL INFORMATION	289-292
SHELL FLANGES, T.E.M.A.	185-198	V	
SLIP ON FLANGES	109-116	VAN STONE (Lap Joint Stub Ends, Lap Joint Flanges)	82-83, 117-124
SOCKET WELDING FITTINGS		W	
90° and 45° Elbows, Tees, Crosses, Laterals.....	218-221	WARRANTY	24
Couplings, Reducers, Caps.....	222	WELDING BEVEL STANDARDS	239
Reducer Inserts.....	223	WELDING FITTINGS (See Seamless Welding Fittings)	25-92
SOCKET WELDING FLANGES	141-144	WELDING NECK FLANGES	101-108
SPECIFICATIONS, PIPING	229-236		
SPLIT TEE	89		
STAINLESS AND ALLOY FITTINGS	226-236		

Always Supply Complete

Information on Order



TO MARK PROGRESS